




EPIC Overfeed Roll for Converted Verdols
Rodillo de Sobrealimentacion para Verdol Modifico, Tipo Epic

Note: Maximum resistance to slippage is obtained with plate springs in position shown.
Resistencia maximum a perdida de velocidad ocurre cuando resortes planos son en posicion de ilustracion.



EPIC "Volkman-Type" Overfeed Roll
Rodillo de Sobrealimentacion para Verdol Modifico, Tipo Volkman



**SMALLER DIAMETER OVERFEED ROLL ASSEMBLIES
 AND SAFETY COVERS FOR VERDOL**

**CONJUNTOS PEEQUENOS DE RODILLO DE SOBREALIMENTACION
 Y CUBIERTAS DE SEGURIDAD PARA VERDOL**



Position	OEM Ref. Nos.	Epic No.	Description
VE11-01	Not Applicable	EE301310V	Pre-Take-Up/Overfeed, Female Half <i>Hembra para Rodillo de Sobrealimentacion</i>
VE11-02	Not Applicable	EE301301V	Pre-Take-Up/Overfeed Shell Only, 24 Flute Chrome <i>Disco Cromado para Rodillo de Sobrealimentacion, 24 Estrias</i>
VE11-02	Not Applicable	EE301302V	Pre-Take-Up/Overfeed Shell Only, 24 Flute Ceramic Coated <i>Disco Ceramico para Rodillo de Sobrealimentacion, 24 Estrias</i>
VE11-02	Not Applicable	EE301305V	Pre-Take-Up/Overfeed Shell , 31 Flute Chrome <i>Disco Cromado para Rodillo de Sobrealimentacion, 31 Estrias</i>
VE11-02	Not Applicable	EE301306V	Pre-Take-Up/Overfeed Shell , 31 Flute Ceramic <i>Disco Ceramico para Rodillo de Sobrealimentacion, 31 Estrias</i>
VE11-03	Not Applicable	EE301320V	Pre-Take-Up/Overfeed Male Half, Volkmann Type <i>Tornillo Macho para Rodillo de Sobrealimentacion, Tipo Volkmann</i>
VE11-04	Not Applicable	EE301316V	Spring, Pre-Take-Up/Overfeed Plate <i>Resorte para Conjunto de Sobrealimentacion</i>
VE11-05	Not Applicable	EE301318V	Collar, Locking with Set Screw <i>Collarin Cierre con Prisionero</i>
VE11-06	Not Applicable	EE301319V	Ring, Fixing, for Pre-Take-Up/Overfeed Assembly <i>Anillo de Fijacion para Rodillo de Sobrealimentacion</i>
VE11-07	Not Applicable	EE431225V	Screw, Hex Socket Flat Point Set 5X8 <i>Prisionero Cabeza Hexagonal Hueca con Punta Plana, 5X8</i>
VE11-07A	Not Applicable	EE401020V	Screw, Hex Socket Cup Point Set, 5X8 <i>Prisionero Hexagonal Hueco con Punta en Copa, 5X8</i>
VE11-08	Not Applicable	EE301329V	Pre-Take-Up/Overfeed, Male & Female Halves Only, Volkmann Type <i>Conjunto de Tornillo Macho y Tuerca Hembra para Rodillo de Sobrealimentacion, Tipo Volkmann</i>
VE11-09	Not Applicable	EE301300-1V	Pre-Take-Up/Overfeed Assembly, Male, without Fixing Ring, Volkmann Type <i>Juego de Conjunto Tornillo Macho sin Anillo de Fijacion, Tipo Volkmann</i>
VE11-10	Not Applicable	EE301300V	Pre-Take-Up/Overfeed Assembly, Male Half and Fixing Ring, Volkmann Type <i>Juego de Conjunto Tornillo Macho con Anillo Fijacion, Tipo Volkmann</i>



Position	OEM Ref. Nos.	Epic No.	Description
VE11-11	Not Applicable	EE301303V	Pre-Take-Up/Overfeed Assembly, 24 Flute Chrome "Epic Type" <i>Conjunto de Rodillo de Sobrealimentacion, Cromado, Tipo de Epic, 24 Estrias</i>
VE11-11	Not Applicable	EE301304V	Pre-Take-Up/Overfeed Assembly, 24 Flute Ceramic "Epic-Type" <i>Conjunto de Rodillo de Sobrealimentacion, Ceramico, Tipo de Epic, 24 Estrias</i>
VE11-11	Not Applicable	EE301308V	Pre-Take-Up/Overfeed Assembly, 31 Flute Chrome "Epic Type" <i>Conjunto de Rodillo de Sobrealimentacion, Disco Cromado, Tipo de Epic, 31 Estrias</i>
VE11-11	Not Applicable	EE301311V	Pre-Take-Up/Overfeed Assembly, 31 Flute Ceramic "Epic Type" <i>Rodillo de Sobrealimentacion, Tipo de Epic, Disco Cromado, 31 Estrias</i>
VE11-11	270123	EE301317V	Pre-Take-Up/Overfeed Assembly, 31 Flute Chrome "Volkman Type" with Locking Collar <i>Rodillo de Sobrealimentacion con Collarin Cierre Tipo Volkman, Disco Cromado, 31 Estrias</i>
VE11-11	Not Applicable	EE301321V	Pre-Take-Up/Overfeed Assembly, 24 Flute Chrome "Volkman Type" , without Locking Collar <i>Conjunto de Rodillo de Sobrealimentacion, Cromado, Tipo de Volkman, sin Collarin, 24 Estrias</i>
VE11-11	Not Applicable	EE301322V	Pre-Take-Up/Overfeed Assembly, 24 Flute Ceramic "Volkman Type" without Locking Collar <i>Conjunto de Rodillo de Sobrealimentacion, Ceramico, Tipo de Volkman, sin Collarin, 24 Estrias</i>
VE11-11	Not Applicable	EE301323V	Pre-Take-Up/Overfeed Assembly , 31 Flute Chrome "Volkman-Type" without Locking Collar <i>Conjunto de Rodillo de Sobrealimentacion, Cromado, Tipo de Volkman, sin Collarin, 31 Estrias</i>
VE11-11	Not Applicable	EE301324V	Pre-Take-Up/Overfeed Assembly, 31 Flute Ceramic "Volkman Type" without Locking Collar <i>Conjunto de Rodillo de Sobrealimentacion, Ceramico, Tipo de Volkman, sin Collarin, 31 Estrias</i>
VE11-11	Not Applicable	EE301325V	Pre-Take-Up/Overfeed Assembly, 24 Flute Chrome "Volkman Type" with Locking Collar <i>Conjunto de Rodillo de Sobrealimentacion, Cromado, Tipo de Volkman, con Collarin, 24 Estrias</i>
VE11-11	Not Applicable	EE301326V	Pre-Take-Up/Overfeed Assembly, 24 Flute Ceramic "Volkman Type" with Locking Collar <i>Conjunto de Rodillo de Sorealimentacion, Ceramico, Tipo de Volkman, con Collarin, 24 Estrias</i>



Position	OEM Ref. Nos.	Epic No.	Description
VE11-11	Not Applicable	EE301327V	Pre-Take-Up/Overfeed Assembly, 31 Flute Ceramic "Volkman Type" with Locking Collar <i>Rodillo de Sobrealimentacion con Collarin Cierre, Tipo de Volkman, Disco Cromado, 31 Estrias</i>
VE11-12	Not Applicable	A-18233	Cover, End 400mm, Left Side, Gear End <i>Cubierta Fin & Izquierda, Anti-Motor 400mm</i>
VE11-12A	Not Applicable	A-18234	Cover, End 400mm, Right Side, Motor End <i>Cubierta Fin & derecha, Testera, 400mm</i>
VE11-13	Not Applicable	EE304780	Cover, Intermediate Small Overfeed(A-18174) (400mm) <i>Cubierta Intermedia para sobrealimentacion Chica</i>
VE11-14	Not Applicable	A-18235	Cover, End 400mm, Left Side, Motor End <i>Cubierta Fin & Izquierda, Testera, 400mm</i>
VE11-14A	Not Applicable	A-18232	Cover, End 400mm, Right Side, Gear End <i>Cubierta Fin & Derecha, Anti-Motor 400mm</i>
VE11-15	215482 96900800	EE303502	Clip, Yarn, for Overfeed Cover <i>Grapa de Hilo para Cubierta</i>

SMALLER DIAMETER OVERFEED ROLL ASSMBLIES: Conversion from the original, large diameter Verdol overfeed roll assembly to the smaller diameter "Volkman-Type" assembly significantly improves runnability of the Verdol by reducing roll laps. The smaller diameter rolls can be used on 400, 450, 500 and 600 machines as well as Muschamp machines.

EPIC SAFETY COVERS FOR SMALL OVERFEED: Operator safety is enhanced on Verdol machines by the addition of Epic Take-Up Safety Covers. The covers are designed for the smaller diameter overfeed roll system and available for the 400 machine. Covers can also be adapted to fit Verdol 450, 500 and 600 model machines and Muschamp machines with small overfeed/PTU rolls.

Epic offers two types of overfeed (or pre-take-up) roll assemblies: 1) A "Volkman-Type" roll and 2) a simplified "Epic-Type" roll. The "Epic-Type" compares more directly in performance to the "Volkman-Type" without fixing ring. The shells of the rolls are offered in 24 and 31 flute designs with either bright chrome or ceramic coatings. Epic shells are formed with a tough stainless base material rather than a soft brass backing offered by others.

CONJUNTOS DE RODILLO DE SOBREALIMENTACIÓN DE DIAMETRO PEQUEÑO: la modificación del conjunto de sobrealimentación original de gran diámetro de Verdol al conjunto de diámetro más pequeño tipo Volkman, significativamente mejora la operación de la Verdol reduciendo enredos. Los rodillos de diámetro pequeños pueden utilizarse en los modelos 400, 450, 500, y 600, y también en las máquinas Muschamp.

PROTECTORES DE SEGURIDAD DE EPIC PARA SOBREALIMENTACION PEQUEÑA: La seguridad de los operadores es reforzada en las máquinas Verdol con la adición de los protectores de seguridad de Epic. Los covertores están diseñados para los rodillos de sobrealimentación de diámetro pequeño y están disponibles para las máquinas 400. Los covertores también pueden adaptarse para las máquinas Verdol 450, 500 y 600, y las máquinas Muschamp con rodillos de sobrealimentación pequeños.

Epic ofrece dos alternativas de conjuntos de sobrealimentación: 1) Uno del tipo Volkman y 2) una versión

Epic Enterprises, Inc., P.O. Box 979, Southern Pines, NC 28388-0979 USA
Telephone Toll Free 800-648-7273 or 910-692-5441 Outside USA
Fax Toll Free 888-692-4147 or 910-692-4147 Outside USA
Website: <http://www.epicenterprises.com> E-Mail: epic@epicenterprises.com



<i>Position</i>	<i>OEM Ref. Nos.</i>	<i>Epic No.</i>	<i>Description</i>
-----------------	----------------------	-----------------	--------------------

Epic simplificada. La versión de Epic se asemeja más directamente con el tipo Volkman sin el rodillo de fijación. Las protecciones de los rodillos se ofrecen en diseños tipo flautas de 24 y 31 con recubrimiento cromado o de cerámica. Las protecciones de Epic se ofrecen en una base de material inoxidable en lugar de un bronce suave que ofrecen otros.

Epic products are intended as replacements for worn or damaged parts in OEM products. OEM Part numbers in (parenthesis) indicate either 1) Improved design 2) the part serves the same function as the OEM part, but may differ from the OEM design, or 3) it is a component of an assembly where no OEM reference number is available, or 4) it is a repair service for the referenced OEM part.

Parts with EE designations are manufactured by Epic and are not authorized by the original equipment manufacturers.

The information herein falls within the normal range of product properties and is based on typical usage results within the industry of the products. Epic assumes no obligation or liability for any advice or information supplied by Epic. The user assumes all responsibility for determining the results and suitability of the products within the user's plant. All such information is provided gratis and user assumes sole responsibility for results obtained.

Volkman is a trademark of Saurer AG. Verdol is a trademark of ICBT.

EE is an Epic trademark designating Epic parts.

Verdol is a trademark of Rieter/ ICBT

© Epic Enterprises, October 2005

