




**EPIC "E" STYLE OVERHEAD CREEL ASSEMBLY
FOR MUSCHAMP & MODEL 400/450 VERDOL CABLERS**

*CONJUNTO DE FILETA, TIPO "E" EPIC, PARA FILETAS DE
CABLEDORAS DE MUSCHAMPP Y VERDOL 400/450*



Position	OEM Ref. Nos.	Epic No.	Description
VE14-00	(216049)	EE304800	Creel, E, Complete (A-18239) CALL EPIC FOR PRICING <i>Conjunto completo de "E" Fileta</i> <i>EPOPEYA DE LA LLAMADA PARA TASAR</i>
VE14-00A	(217793)	EE340026	Creel, Epic Style Overhead, for Model 450 Verdol, 120 Position, Manual Safety Latch CALL EPIC FOR PRICING <i>Conjunto Completo de Fileta para 450 Verdol</i> <i>EPOPEYA DE LA LLAMADA PARA TASAR</i>
VE14-01	Not Applicable	A-18043	Support, Main Creel (Post) <i>Soporte Primero para Fileta</i>
VE14-02	583058A	EE304560	Bushing, E Creel Arm <i>Buje para Brazo de "E" Fileta</i>
VE14-03	Not Applicable	A-18360	Collar w/Set Screw, 1" <i>Collarin con Opresor, 1"</i>
VE14-04	A-18361		Flat Washer, 1" <i>Arandela Plana, 1"</i>
VE14-05	Not Applicable	A-18044	Shaft, 1X24" <i>Eje, 1 x 24"</i>
VE14-06	Not Applicable	A-18046	Shaft, 3/4" X 24" <i>Eje, 3/4" x 24"</i>
VE14-07	Not Applicable	A-18359	Collar w/Set Screw, 3/4" <i>Collarin con Opresor, 3/4"</i>
VE14-08	(215812)	A-18051	T-Handle for E Creel <i>Asa T para Fileta "E"</i>
VE14-09	Not Applicable	A-18357	Lock Washer, Spring, 3/8", Z/P <i>Arandela Regular de Seguridad, 3/8"</i>
VE14-10	Not Applicable	A-18358	Nut, Hex , 3/8" Z/P <i>Tuerca Hexagonal, 3/8"</i>
VE14-11	Not Applicable	A-18367	Plate, Slide for E Creel Latch <i>Placa Lada para Picaporte de fileta "E"</i>
VE14-12	Not Applicable	A-18368	Spacer for E Creel Latch <i>Espaciador para Picaporte de Fileta "E"</i>
VE14-13	A-18369		Screw, Hex Head Cap, 5/16" X 2.75" <i>Tornillo de Maquina con Cabeza Hexagonal, 5/16" X 2.75"</i>
VE14-14	Not Applicable	A-18370	Lock Nut, Nylon Insert, 5/16", Z/P <i>Contratuerca con Inserto de Nylon, 5/16"</i>
VE14-15	Not Applicable	EE380070	Plate, Latch for E Creel <i>Placa de Cierra par Fileta "E"</i>
VE14-16	Not Applicable	A-18280	Handle, Yellow Vinyl for E Creel <i>Asa Amarilla para Fileta "E"</i>



Position	OEM Ref. Nos.	Epic No.	Description
VE14-17	A-18284B		Safety Latch Arm <i>Brazo con Picaporte de Seguridad</i>
VE14-18	116060	EE302000	Spring, E Overhead Creel <i>Resorte para Cantara "E"</i>
VE14-19	A-18381		Screw, Hex Head Cap, 1/2" X 2" <i>Tornillo de Maquina con Cabeza Hexagonal, 1/2" X 2"</i>
VE14-20	A-18372		Lock Washer, 1/2" <i>Arandela Regular de Seguridad, 1/2"</i>
VE14-21	Not Applicable	A-18358	Nut, Hex , 3/8" Z/P <i>Tuerca Hexagonal, 3/8"</i>
VE14-22	A-18363		Screw, Hex Head Cap, 1/4" X 1.25" <i>Tornillo Maquina con Cabeza Hexagonal, 1/4" X 1.25"</i>
VE14-23	Not Applicable	A-18364	Lockwasher, 1/4, Z/P <i>Arandela Regular de Seguridad, 1/4"</i>
VE14-24	Not Applicable	A-18365	Nut, Hex, 1/4", Z/P <i>Tuerca Hexagonal, 1/4"</i>
VE14-25	Not Applicable	A-18364	Lockwasher, 1/4, Z/P <i>Arandela Regular de Seguridad, 1/4"</i>
VE14-26	(216049)	EE304720	Arm, Extension, E Creel (A-18054) <i>Extension de Brazo para "E" Fileta</i>
VE14-27	Not Applicable	A-18371	Screw, Hex Head Cap, 5/16" x 3/4" <i>Tornillo con Cabeza Hexagonal , 5/16" x 3/4"</i>
VE14-28	(215814)	A-18283	Latch, 400 Safety Kit (E) (3/4" Shaft) <i>Equipo para Picaporte de Seguridad, fileta "E", 400, Eje 3/4"</i>
VE14-28	Not Applicable	A-18370	Lock Nut, Nylon Insert, 5/16", Z/P <i>Contratuerca con Inserto de Nylon, 5/16"</i>
VE14-28A	(215814)	A-18283A	Latch, 400 Safety Kit (E) (20mm Shaft) <i>Equipo para Picaporte de Seguridad, Fileta "E", 400, Eje 20mm</i>
VE14-28B	(215814)	A-18284	Latch, 450 Safety Kit (E) <i>Equipo para Picapore de Seguridad, Fileta "E", 450</i>
VE14-28C	(583058)	EE304760	Kit, Repair, E Creel Arm (A-18165) (2 Bushings in Steel Shell) <i>Equipo Reparar Brazo de "E" Fileta</i>
VE14-29	200316A	EE303240	Holder, Creel Hardwood Tube, 3/8" Diameter Bore <i>Sujetar de Tubo en Madura Dura para Cantara, 3/8" o 9.5mm</i>
VE14-29A	200316B	EE303240-1	Holder, Creel Hardwood Tube, 5/8" Diameter Bore <i>Sujetar de Tubo en Madura Dura para Cantara, 5/8" o 15.3mm</i>
VE14-29B	200316C	EE303240-2	Holder, Creel Hardwood Tube, 3/4" Diameter Bore <i>Sujetar de Tubo en Madura Dura para Cantara, 3/4"</i>



Position	OEM Ref. Nos.	Epic No.	Description
VE14-29C	200316D	EE303240-3	Holder, Creel Hardwood Tube, 13/16" Diameter Bore with 5/16" Allen Head Cup Point Set Screw <i>Sujetar de Tubo en Madura Dura para Cantara E, 13/16"</i>
VE14-30	Not Applicable	A-18362	Bolt, Carriage, 3/8" X 8" <i>Perno, 3/8" x 8"</i>
VE14-31	Not Applicable	A-18357	Lock Washer, Spring, 3/8", Z/P <i>Arandela Regular de Seguridad, 3/8"</i>
VE14-32	Not Applicable	A-18358	Nut, Hex , 3/8" Z/P <i>Tuerca Hexagonal, 3/8"</i>
VE14-33	119313A	EE302220	Pad, Foam, Unlined, 292mm OD X 9.5mm ID X 19mm Thick, White, (11 1/2" X 3/8" X 3/4") <i>Cojincillo de Espuma, 292mm OD X 9.5 mm ID X 19mm Espeso (11 1/2" X 3/8" X 3/4"), Blanco</i>
VE14-33	Not Applicable	EE302221	Pad, Foam, Unlined, 356mm OD X 9.5mm ID X 19mm Thick, White (14" X 3/8" X 3/4") <i>Cojincillo de Espuma, 356mm OD X 9.5mm ID X 19mm Espeso (14" X 3/8" X 3/4")</i>
VE14-33	(119313A)	EE302230	Pad, Foam, Unlined, 292mm OD X 9.5mm ID X 25mm Thick, White (11 1/2" X 3/8" X 1") <i>Cojincillo de Espuma, 9.5 mm ID X 292mm OD X 25mm Espeso (11 1/2" X 3/8" X 1"), Blanco</i>
VE14-33	(119313A)	EE302240	Pad, Foam, Unlined, 292mm OD X 89mm ID, 25mm Thick, White (11" X 3 1/2" X 1") <i>Cojincillo de Espuma, 280mm OD X 89mm ID X 25mm Espeso (11" X 3 1/2" X 1"), Blanco</i>
VE14-33	(119313A)	EE302241	Pad, Foam, Unlined, 280mm OD X 76mm ID X 25mm Thick, White (11" X 3" X 1") <i>Cojincillo de Espuma, 280mm OD X 76mm ID X 25mm Espeso (11" X 3" X 1"), Blanco</i>
VE14-33	119313A	EE302242	Pad, Foam, Unlined, 280mm OD X 57mm ID X 25mm Thick, White (11" X 2 1/4" X 1") <i>Cojincillo de Espuma, 280mm OD X 57mm ID X 25mm Espeso (11" X 2 1/4" X 1"), Blanco</i>
VE14-33	96500300	EE302243	Pad, Foam, Unlined, 280mm OD X 90mm ID X 15mm Thick, White (11" X 3 1/2" X 5/8") <i>Conjincillo de Espuma, 280mm OD X 90mm ID X 15mm Espeso(11" X 3 1/2" X 5/8"), Blanco</i>
VE14-33	119261B00	EE302244	Pad, Foam, Unlined, 270mm OD X 115mm ID X 30mm Thick, White (10 5/8" X 4 1/2" X 1 3/16") <i>Cojincillo de Espuma, 270mm OD X 115mm ID X 30mm Espeso, (10 5/8" X 4 1/2" X 1 3/16") Blanco</i>
VE14-33	96500200	EE302245	Pad, Felt, Unlined, 273mm OD X 90mm ID X 8mm Thick, Gray (10 3/4" X 3 1/2" X 5/16") <i>Cojincillo de Fielto, 273mm OD X 90mm ID X 8mm Espeso (10 3/4" X 3 1/2" X 5/16"), Gris</i>



Position	OEM Ref. Nos.	Epic No.	Description
VE14-33	(119313A)	EE302260	Pad, Foam, Unlined, 318mm OD X 9.5mm ID x 38mm Thick, White (12 1/2" X 3/8" X 1 1/2") <i>Cojincillo de Espuma, 318mm OD X 9.5mm ID X 38mm Espeso (12 1/2" X 3/8" X 1 1/2"), Blanco</i>
VE14-33	(119313A)	EE302262	Pad, Foam, Unlined, 318mm OD X 9.5mm ID X 51mm Thick, White (12 1/2" X 3/8" X 2") <i>Cojincillo de Espuma, 318mm OD X 9.5mm ID X 51mm Espeso (12 1/2" X 3/8" X 2"), Blanco</i>
VE14-33	(119313A)	EE302263	Pad, Foam, Unlined, 356mm OD X 19mm ID X 19mm Thick, White (14" X 3/4" X 3/4") <i>Cojincillo de Espuma, 356mm OD X 19mm ID X 19mm Espeso (14" X 3/4" X 3/4"), Blanco</i>
VE14-33	(119313A)	EE302270	Pad, Foam, Unlined, 381mm OD X 89mm ID X 51mm Thick, White (15" X 3 1/2" X 2") <i>Cojincillo de Espuma, 381mm OD X 89mm ID X 51mm Espeso (15" X 3 1/2" X 2"), Blanco</i>
VE14-34	(215808) (119355)	EE304710	Creel Support Disc, E&C Fiber <i>Disco de Soporte de Fileta "E" y "C"</i>
VE14-34A	(215808) (119355)	EE304710-2	Disc, Creel, White Plastic, 1/4" Thick X 11" O.D. X 25/64 I.D. <i>Disco de Soporte de Fileta, 1/4" X 11" O.D. X 25/64 I.D.</i>
VE14-35	(216128)	EE304700	Arm, E Creel (A-18049) <i>Brazo para "E" Fileta</i>
VE14-36	A-18355		Screw, Hex Head Cap, 3/8"X1.25" <i>Tornillo Hexagonal, 3/8-3/8" X 1.25"</i>
VE14-37	A-18356		Washer, Flat, 3/8" <i>Arandela Regular Plana, 3/8"</i>
VE14-38	(22513001) (555024A)	A-18356	Washer, Regular Flat 3/8", Plated <i>Arandela Plana, 3/8"</i>
VE14-39	Not Applicable	A-18358	Nut, Hex , 3/8" Z/P <i>Tuerca Hexagonal, 3/8"</i>
VE14-40	(215951)	A-18055	Bracket, Pretension Mounting <i>Soporte para estructura de pretensión</i>
VE14-40A	Not Applicable	EE305543	Brackets and Hardware to Mount Dial Storage Tensor to Verdol 400 Creel (does not include dial storage tensor or roller assembly) <i>Soportes y Equipo por Fijar Esfera Almacen Tensor por Verdol 400 Creel</i>
VE14-40B	Not Applicable	EE305543-1	Brackets and Hardware to Mount Dial Storage Tensor to Verdol 400 Creel (with roller, without storage tensor) <i>Soportes y Equipo por Fijar Esfera Almacen Tensor por Verdol 400 Creel</i>
VE14-41	588034C	EE304600	Eyelet, Large Ceramic <i>Ojo Grande de Ceramica</i>



Position	OEM Ref. Nos.	Epic No.	Description
VE14-42	588034A	EE304580	Eyelet, Small Ceramic <i>Ojo Cerámico Chico</i>
VE14-43	Not Applicable	EE380001-2	Mounting Bracket (Plastic) with small eyelet for Double Tension Device <i>Soporte para montaje plástico con ojales para el Dispositivo de doble tensión</i>
VE14-44	Not Applicable	EE401830-1V	Double Tension Device (Capsules not included) <i>Dispositivo de doble tensión (no se incluyen las cápsulas)</i>

The Epic "E" Style Overhead Creel is a well-proven design with many thousands in service. All new Epic creel assemblies are equipped with positive detent safety latches.

EE304800 (014-00) is the overhead creel style for Model 400 Verdol and may have variations (particularly in the safety latch arm) depending on customer preference.

EE340026 (14-00A) is creel style for the model 450 Verdol. The overall design is almost identical to the creel for the 400 model.

La fileta tipo "E" sobre cabeza de Epic es un diseño ya probado con varios miles ya instaladas y en servicio. Todas las nuevas filetas de Epic están equipadas con pasadores de seguridad.

La parte EE304800 (014-00) es la fileta tipo sobrecabeza para el modelo 400 de Verdol y puede tener variaciones (específicamente en los brazos de los pasadores de seguridad) dependiendo de la preferencia del cliente.

La parte EE340026 (14-00A) es la fileta para el modelo 450 de Verdol. El diseño es prácticamente idéntico a la fileta para el modelo 400.

Epic products are intended as replacements for worn or damaged parts in OEM products. OEM Part numbers in (parenthesis) indicate either 1) Improved design 2) the part serves the same function as the OEM part, but may differ from the OEM design, or 3) it is a component of an assembly where no OEM reference number is available, or 4) it is a repair service for the referenced OEM part.

Parts with EE designations are manufactured by Epic and are not authorized by the original equipment manufacturers.

The information herein falls within the normal range of product properties and is based on typical usage results within the industry of the products. Epic assumes no obligation or liability for any advice or information supplied by Epic. The user assumes all responsibility for determining the results and suitability of the products within the user's plant. All such information is provided gratis and user assumes sole responsibility for results obtained.

Volkman is a trademark of Saurer AG. Verdol is a trademark of ICBT.

EE is an Epic trademark designating Epic parts.

Verdol is a trademark of Rieter/ ICBT

© Epic Enterprises, July 2006

